Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

GENERAL INDEX TO VOLUME IV

New scientific names of plants and the final members of new combinations are printed in **bold face** type; synonyms and page numbers having reference to figures and plates, in *italic;* and previously published scientific names and all other matter in ordinary type.

A

alboflavescens (*Coniophora*), 248
alboflavescens (*Corticium*), 247
albus (Merulius), 334
Algological Notes. I, Chlorochytrium gloeophilum Bohlin, 271; II, Preliminary list of algae in Devils Lake, North Dakota, 293
Alni (*Plicatura*), 326
Alni (*Trogia*), 326
ambiguus (Merulius), 317
americanus (Merulius), 345
Ammonia, tests for, in diseased tobacco leaves, 179
Anabaena flos-aquae, 297
Aphanothece Castagnei, 294
Apple decoction, growth of Aspergillus niger on, 280, *283;* growth of Gloeosporium Gossypii on, 281, *283*
arida (Coniophora), 244
arida (*Thelephora*), 244
aridum (*Corticium*), 244
Arthrospira Jenneri, 296
Aspergillus niger, growth of, on various decoctions, 168, *169*, 280; on Richards' solution and modified decoctions, 282
atrocinerea (Coniophora), 260
atrocinerea (*Coniophorella*), 260
atrovirens (Merulius), 359
aureus (Merulius), 343
avellanea (Coniophora), 251
Avocado, mosaic disease of, 210; diseased and healthy plants, *232*

B

Bean decoction, 166; growth of various fungi on, 168
bellus (Merulius), 331
Boletus lacrymans, 340
brassicaefolius (Merulius), 348
brunneola (*Coniophora*), 257
brunneolum (*Corticium*), 257
Bryan, Mary M. A spurless variety of Habenaria psycodes, 37
Burt, E. A. Merulius in North America, 305; Odontia Sacchari and O. saccharicola, new species on sugar cane, 233; The Thelephoraceae of North America, VIII, 237
byssoidea (Coniophora), 263
byssoidea (*Coniophorella*), 263
byssoidea (*Peniophora*), 263
byssoides (*Thelephora*), 263
byssoideum (*Corticium*), 263
byssoideus (Merulius), 358

C

Calcium, tests for, in diseased and healthy plant tissue, 183
Calothrix Braunii, 298; parietina, 298
Cantharellus incarnatus, 310
capnoides (Coniophora), 267
Carbohydrates, tests for, in diseased and healthy plant tissue, 185
Carrot decoction, growth of Aspergillus niger on, 280, *285;* growth of Gloeosporium Gossypii on, 281, *285*
Celery decoction, growth of Aspergillus niger on, 280, *286;* growth of Gloeosporium Gossypii on, 281, *286*
Centrosphaera gloeophila, 272
ceracellus (Merulius), 339
cerebella (Coniophora), 240
cerebella (*Thelephora*), 240
Characium Hookeri, 299
chlorinum (*Corticium*), 265
Chlorochytrium gloeophilum, 271, *278*
Chlorophyceae, 298
Chroococcaceae, 294
Chroococcus limneticus, 294; minutus, 294
Citron, mosaic disease of, 195, *230*
Cladophora Keutzingiana, 301
Cladophoraceae, 301
Clathrocystis aeruginosa, 294
Coccogoneales, 294
Coelastrum microporum, 299
Coelosphaerium Kuetzingianum, 294
Compositae, Two exotic, in North America, 289

confluens (Merulius), 319
Coniophora, 237; *alboflavescens*, 248; arida, 244; atrocinerea, 260; **avellanea**, 251; *brunneola*, 257; byssoidea, 263; capnoides, 267; cerebella, 240; *Cookei*, 244; *crocea*, 262; dryina, 253; *Ellisii*, 257; **flava**, 261; *fulvo-olivacea*, 258; fusispora, 243; **Harperi**, 252; **inflata**, 247; *insinuans*, 268; **Kalmiae**, 246; laeticolor, 261; *leucothrix*, 257; olivacea, 257; olivascens, 265; *Petersii*, 248; **polyporoidea**, 247; *prasina*, 265; *puteana*, 240; sistotremoides, 249; *sordulenta*, 267, 268; *subochracea*, 265; suffocata, 254; umbrina, 256; **vaga**, 251
Coniophorella, 237; *byssoidea*, 263; *olivacea*, 257; *umbrina*, 256
Conjugales, 298
Cookei (*Coniophora*), 244
corium (Merulius), 322
Corn meal decoction, 166; growth of various fungi on, 168
Corticium alboflavescens, 247; *aridum*, 244; *brunneolum*, 257; *byssoideum*, 263; *chlorinum*, 265; *dryinum*, 253; *Ellisii*, 257; *fusisporum*, 243; *Kalmiae*, 246; *laeticolor*, 262; *leucothrix*, 257; *olivaceum*, 257; *olivascens*, 265; *pallescens*, 267; *polyporoideum*, 247; *prasinum*, 265; *puteanum*, 240; *saccharinum*, 337; *sordulentum*, 268; *suffocatum*, 254; *thelephoroides*, 268; *umbrinum*, 256
crocea (*Coniophora*), 262
cubensis (Merulius), 326
Cucumber, mosaic disease of, 193, 210, *230*

D

Decoctions, plant, The growth of certain fungi in, 165, 279
deglubens (Merulius), 325
deglubens (*Phlebia*), 325
destruens (*Merulius*), 340
destruens (*Xylomyzon*), 341
Devils Lake, North Dakota, description of, 293; list of algae in, 294
Dictyosphaerium pulchellum, 299
Diplonema sordescens, 263
domesticus (*Merulius*), 341
dryina (Coniophora), 253
dryinum (Corticium), 253
dubius (Merulius), 330
Duggar, B. M., Severy, J. W., and Schmitz, H. Studies in the physiology of the fungi. III, The growth of certain fungi in plant decoctions, 165, V, 279
Durability of yellow pine, 93

E

Ellisii (*Coniophora*), 257
Ellisii (*Corticium*), 257
Ellisii (*Hymenochaete*), 257
Enteromorpha prolifera, 301
Erechtites arguta, 291, *292*

F

Farlowii (Merulius), 336
flava (Coniophora), 261
Freiberg, G. W. Studies in the mosaic diseases of plants, 175
fugax (Merulius), 352
fulvo-olivacea (*Coniophora*), 258
Fungi: The growth of certain, in plant decoctions, 165, 279; Studies in the physiology of the, III, 93, IV, 165, V, 279
fusispora (Coniophora), 243
fusisporum (*Corticium*), 243

G

Gates, R. R. A systematic study of the North American genus Trillium, its variability and its relation to Paris and Medeola, 43
Gloetrichia natans, 298
Glomerella (Gloeosporium) Gossypii, growth of, on various decoctions, 167, *171*, 281, 282; on Richards' solution and modified decoctions, 282
Gomphosphaeria aponina, 294
Greenman, J. M. Monograph of the North and Central American species of the genus Senecio—Part II, 15; Two exotic Compositae in North America, 289
Gyromia virginica, 86
gyrosus (Merulius), 328

H

Habenaria ciliaris, 38; fimbriata, 38; *hyperborea*, 39; lacera, 41; psycodes, 37, *42*, var. **ecalcarata**, 38, *42*, var. **varians**, 37, *42*
Habenaria psycodes, A spurless variety of, 37
haedinus (*Merulius*), 319
Harperi (Coniophora), 252
hexagonoides (Merulius), 351
himantioides (Merulius), 349
himantioides (*Merulius*), 356
hirsutus (Merulius), 312
hirtellus (Merulius), 335
Hormogoneales, 296
hydnoides (*Merulius*), 356
Hydnum pinastri, 356; *sordidum*, 356
Hydrodictyaceae, 300
Hymenochaete Ellisii, 257
Hypochnus *olivaceus*, 257; **pallescens**, 267; *thelephoroides*, 268

I

incarnatus (*Cantharellus*), 310
incarnatus (Merulius), 310
incrassata (Poria), 360
incrassatus (*Merulius*), 360
Ineffigiata neglecta, 299
inflata (Coniophora), 247
insinuans (*Coniophora*), 268
insinuans (*Stereum*), 267
insinuans (*Thelephora*), 267
Iron, tests for, in diseased and healthy plant tissue, 181
irpicinus (*Merulius*), 356
isoporum (*Xylomyzon*), 338

K

Kalmiae (Coniophora), 246
Kalmiae (*Corticium*), 246

L

lacrymans (*Boletus*), 340
lacrymans (Merulius), 340, forma terrestris, 347
lacrymans var. *tenuissimum* (*Merulius*), 345; var. *terrestris*, 346
laeticolor (Coniophora), 261
laeticolor (*Corticium*), 262
laeticolor (*Xerocarpus*), 262
Lenzites saepiaria Fries, Physical properties of wood in relation to decay induced by, 93
leucothrix (*Coniophora*), 257
leucothrix (*Corticium*), 257
lichenicola (Merulius), 329
Light, relation of, to the mosaic disease, 205
Lyngbyeae, 296

M

Macrosporium commune, growth of, on plant decoctions, 168, *170*
Magnesium, tests for, in diseased and healthy plant tissue, 183
Mangold decoction, growth of Aspergillus niger on, 280, *284*; growth of Gloeosporium Gossypii on, 281, *284*
Medeola, 86; virginiana, 86
Merismopedia convoluta, 295; glauca, 295; tenuissima, 295
Merulius, 305; **albus**, 334; ambiguus, 317; **americanus**, 345; **atrovirens**, 359; aureus, 343; bellus, 331; brassicaefolius, 348; **byssoideus**, 358; ceracellus, 339; confluens, 319; corium, 322; **cubensis**, 326; **deglubens**, 325; *destruens*, 340; *domesticus*, 341; **dubius**, 330; **Farlowii**, 336; fugax, 352; **gyrosus**, 328; *haedinus*, 319; **hexagonoides**, 351; himantioides, 349; *himantioides*, 356; **hirsutus**, 312; **hirtellus**, 335; *hydnoides*, 356; incarnatus, 310; *incrassatus*, 360; *irpicinus*, 356; lacrymans, 340, forma terrestris, 347; *lacrymans* var. *tenuissimum*, 345, var. *terrestris*, 346; **lichenicola**, 329; *minor*, 356; *molluscus*, 352; **montanus**, 354; niveus, 326; pallens, 321, *362;* patellaeformis, 359; **pinastri**, 356; *Pruni*, 313; pulverulentus, 349; Ravenelii, 332; *rimosus*, 327; *rubellus*, 310; rufus, 338; rugulosus, 337; serpens, 339; sordidus, 324; **sororius**, 329; spadiceus, 344; *spissus*, 360; *subaurantiacus*, 352; *sulcatus*, 319; **sulphureus**, 333; *tenuis*, 349; *tenuissimus*, 345; **terrestris**, 346; **tomentosus**, 334; tremellosus, 313; *Ulmi*, 319; umbrinus, 355; *vastator*, 341, 343; Wrightii, 312
Mesocarpaceae, 298
Microspora Loefgrenii, 300
minor (*Merulius*), 356
Moisture, relation of, to mosaic diseases, 195
molluscus (*Merulius*), 352
montanus (Merulius), 354
Moore, George T. Algological Notes. I, Chlorochytrium gloeophilum Bohlin, 271; II, Preliminary list of algae in Devils Lake, North Dakota, 293
Mosaic diseases of plants, discussion of recent investigations on, 211; infective principle of, 208; physiological relations of, 189; new and recently described, 210; Studies in the, 175
Mougeotia sp., 298
Myxophyceae, 294

N

Nephrocytium Naegelii, 300
Nitrogen, tests for, in diseased and healthy tobacco tissue, 178
nivea (*Plicatura*), 326
niveus (Merulius), 326
Nodularia spumigena var. genuina, 298
Nostocaceae, 297
Nymphaea capensis var. zanzibariensis, 1, f. rosea, 1; × **castaliiflora**, 3, *14;* flavo-virens, 1; "Mrs. C. W. Ward," 1; × **"Mrs. Edwards Whitaker,"** 5, *10*, hort. var. **marmorata**, 8, *12;* ovalifolia, 5; "Stella Gurney," 2; "William Stone," 1
Nymphaeas, Hybrid, 1

O

Odontia Sacchari and O. saccharicola, new species on sugar cane, 233
Odontia **Sacchari**, 233; **saccharicola** 235; *sistotremoides*, 250

olivacea (Coniophora), 257
olivacea (*Coniophorella*), 257
olivacea (*Thelephora*), 257
olivaceum (*Corticium*), 257
olivaceus (*Hypochnus*), 257
olivascens (Coniophora), 265
olivascens (*Corticium*), 265
Oocystis solitaria, 300
Oscillatoria amphibia, 296; brevis, 296; chalybea, 296; chlorina, 296; geminata, 296; limosa, 296; sp., 297; tenuis, 297
Oscillatoriaceae, 296
Oxidases, relation of, to mosaic diseases, 189

P

pallens (Merulius), 321, *362*
pallescens (*Corticium*), 267
pallescens (Hypochnus), 267
pallescens (*Stereum*), 267
pallescens (*Thelephora*), 267
Pandorina sp., 299
Paris, 83; quadrifolia, 83; tetraphylla, 84
patellaeformis (Merulius), 359
Pediastrum angulosum, 300; Boryanum, 300
Penicillium expansum, growth of, on plant decoctions, 168, *172*
Peniophora byssoidea, 263; *sordescens*, 263
Petersii (*Coniophora*), 248
Phlebia deglubens, 325
Phosphorus, tests for, in diseased and healthy plant tissue, 184
pinastri (*Hydnum*), 356
pinastri (Merulius), 356
Pine culture blocks, original samples of, *160*, *164*, after Lenzites saepiaria had grown upon for one year, *162*, *164;* preparation of, 104, *156;* results of series A, 106, charts based on, 147, *148*, *150;* results of series B, 139, 151; results of series C, charts based on, 151, *152*
pinea (*Poria*), 360
pineus (*Polyporus*), 360
Pinus echinata, 93; palustris, 93; Taeda, 93
Plectonema, 297, tenue, 297
Plicatura Alni, 326; *nivea*, 326
polyporoidea (Coniophora), 247
polyporoideum (*Corticium*), 247
Polyporus pineus, 360
Poria **incrassata**, 360; *pinea*, 360
Potassium, tests for, in diseased and healthy plant tissue, 184
Potato decoction, 166; growth of various fungi on, 168
prasina (*Coniophora*), 265
prasinum (*Corticium*), 265
Pring, George H. Hybrid nymphaeas, 1
Proteins, tests for, in diseased and healthy plant tissue, 180
Protococcaceae, 299
Protococcales, 299
Protoderma viride, 301
Prune decoction, 166; growth of various fungi on, 168
Pruni (*Merulius*), 313
pulverulentus (Merulius), 349
puteana (*Coniophora*), 240
puteana (*Thelephora*), 240
puteanum (*Corticium*), 240

R

Ravenelii (Merulius), 332
Resin, relation of, to wood decay, 94
rimosus (*Merulius*), 327
Rivularia Bornetiana, 271; nidulans, 272
Rivulariaceae, 298
rubellus (*Merulius*), 310
rufum (*Xylomyzon*), 338
rufus (Merulius), 338
rugulosus (Merulius), 337

S

Sacchari (Odontia), 233
saccharicola (Odontia), 235
saccharinum (*Corticium*), 337
Salmon decoction, growth of Aspergillus niger on, 280, *287;* growth of Gloeosporium Gossypii on, 281, *287*
Scenedesmaceae, 299
Scenedesmus bijuga, 300; quadricauda, 300
Schmitz, H., Duggar, B. M., and Severy, J. W. Studies in the physiology of the fungi. III, The growth of certain fungi in plant decoctions, 165, V, 279
Scytonemaceae, 298
Seed, transmission of the mosaic disease through, 206
Senecio, Monograph of the North and Central American species of the genus—Part II, 15
Senecio, 15; *Arizonicus*, 28; *aureus* var. *multilobatus*, 16; Austinae, 33; brasiliensis, 290; Breweri, 30, var. **contractus**, 31; cannabinaefolius, 289; *diffusus*, 27; eurycephalus, 31; *eurycephalus*, 30; franciscanus, 29; *intrepidus*, 34; ionophyllus, 33, var. sparsilobatus, 34; **lapidum**, 18; **leucoreus**, 21; lynceus, 21, *36; macropus*, 28; millelobatus, 19; multilobatus, 16, var. **Standleyi**, 17; *multilobatus*, 19, 21; *Nelsonii* var. *uintah-*

ensis, 24, var. *utahensis*, 25; *Neo-Mexicanus*, 33; **parrasianus**, 20; *prolixus*, 27; quercetorum, 28; scalaris, 22; *sparsilobatus*, 34; stygius, 27; sylvaticus, 291; *Tampicanus*, 19; **Thornberi**, 23; *Tidestromii*, 31; uintahensis, 24; *utahensis*, 25
serpens (Merulius), 339
Serpula, 305
Severy, J. W., Duggar, B. M., and Schmitz, H. Studies in the physiology of the fungi. III, The growth of certain fungi in plant decoctions, 165, V, 279
Siphonocladiales, 301
sistotremoides (Coniophora), 249
sistotremoides (*Odontia*), 250
sistotremoides (*Thelephora*), 249
Solanum triphyllon, 45, *flore hexapetalo carneo*, 65; *Virginianum tryphyllon*, 45
sordescens (*Diplonema*), 263
sordescens (*Peniophora*), 263
sordidum (*Hydnum*), 356
sordidus (Merulius), 324
sordulenta (*Coniophora*), 267, 268
sordulentum (*Corticium*), 268
sororius (Merulius), 329
spadiceus (Merulius), 344
Specific gravity, relation of, to wood decay, 99
Spirulina major, 297; Nordstedtii, 297; subtilissima, 297; tenerrima, 297
spissus (*Merulius*), 360
Starch, tests for, in diseased and healthy plant tissue, 186
Stereum insinuans, 267; *pallescens*, 267
Studies in the physiology of the fungi. III, Physical properties of wood in relation to decay induced by Lenzites saepiaria Fries, 93; IV, The growth of certain fungi in plant decoctions, 165; V, The growth of certain fungi in plant decoctions, 279
subaurantiacus (*Merulius*), 352
subochracea (*Coniophora*), 265
suffocata (Coniophora), 254
suffocatum (*Corticium*), 254
Sugar, tests for, in diseased and healthy plant tissue, 187
Sugar beet decoction, 166; growth of various fungi on, 168
sulcatus (*Merulius*), 319
Sulphur, tests for, in diseased and healthy plant tissue, 185
sulphureus (Merulius), 333

T

Temperature, relations of, to mosaic diseases, 195, *226*, *228*
tenuis (*Merulius*), 349
tenuissimus (Merulius), 345
terrestris (Merulius), 346
Tetrapedia gothica, 295
Tetrasporaceae, 299
Thelephora arida, 244; *cerebella*, 240; *insinuans*, 267; *byssoides*, 263; *olivacea*, 257; *pallescens*, 267; *puteana*, 240; *sistotremoides*, 249; *umbrina*, 256, var. *β*, 256
Thelephoraceae of North America, The, VIII, 237
thelephoroides (*Corticium*), 268
thelephoroides (*Hypochnus*), 268
Tobacco, mosaic disease of, 192, *230*
Tolypothrix lanata, 298
Tomato, mosaic disease of, 192
tomentosus (Merulius), 334
Total nitrogen, tests for, in diseased and healthy plant tissue, 179
tremellosus (Merulius), 313
Trillium, A systematic study of the North American genus, its variability, and its relation to Paris and Medeola, 43
Trillium, 44; affine, 66; *album*, 53; *atropurpureum*, 53; *californicum*, 59; Catesbaei, 65; cernuum, 56; *cernuum*, 65; *chloropetalum*, 50; *crassifolium*, 59; declinatum, 55; decumbens, 45; discolor, 44; erectum, 52, var. album, 53, var. viridiflorum, 54; *erectum* var. *atropurpureum*, 53, var. *declinatum*, 55, var. *γ*, 54, var. *ochroleucum*, 54, var. *rubrum*, 53; *erythrocarpum*, 56, 57; *foetidum*, 53; giganteum, 49, var. **angustipetalum**, 51, *92*, var. **chloropetalum**, 50, *90*; Govaniana, 83; grandiflorum, 57, var. trans. **parvum**, 58, var. trans. variegatum, 58; *grandiflorum*, 57, 58, var. *obovatum*, 68; Hugeri, 46; lanceolatum, 48, var. **rectistamineum**, 48; Ludovicianum, 47; luteum, 46, *90*, var. **latipetalum**, 46, *90*; *nervosum*, 65; nivale, 63; obovatum, 68; *obovatum*, 57, 59; ovatum, 59, var. trans. **stenosepalum**, 61, *88*; *pendulum*, 54; petiolatum, 49; *pictum*, 56; *pumilum*, 52; *purpureum*, 53; pusillum, 52; recurvatum, 48, var. *lanceolatum*, 48; *rhomboideum*, 52, var. *album*, 53, *γ grandiflorum*, 57; rivale, 65; Rugelii, 55; Scouleri, 57; sessile, 45; *sessile* var. *angustipetalum*, 51, var. *Californicum*, 49, var. *chloropetalum*, 50, var. *giganteum*, 49, var. *Nuttallii*, 47, var. *viridescens*, 47, var. *Wrayi*, 44; simile, 55; stamineum, 44; *stylosum*, 65; tetraphylla, 84; *Texanum*, 52; Underwoodii, 45; undulatum, 56; *unguiculatum*, 49; Vaseyi,

54, forma album, 55; **venosum,** 66, *88;* viride, 47; viridescens, 47
Trogia Alni, 326
Turnip decoction, 166; growth of various fungi on, 168

U

Ulmi (*Merulius*), 319
Ulothrix zonata, 301
Ulotrichaceae, 300
Ulotrichales, 300
Ulvaceae, 301
umbrina (Coniophora), 256
umbrina (*Coniophorella*), 256
umbrina (*Thelephora*), 256, var. β, 256
umbrinum (*Corticium*), 256
umbrinus (Merulius), 355

V

vaga (Coniophora), 251
vastator (*Merulius*), 341, 343
Volvocaceae, 299
Volvocales, 299

W

Wrightii (Merulius), 312

X

Xerocarpus laeticolor, 262
Xylomyzon destruens, 341; *isoporum,* 338; *rufum,* 338

Y

Yellow pine, durability of, 93

Z

Zeller, S. M. Studies in the physiology of the fungi. III, Physical properties of wood in relation to decay induced by Lenzites saepiaria Fries, 93
Zoochlorella conductrix, 300